Access Economics and Maunsell McIntyre (2000). The Economic Benefits (to Sydney and NSW) of Port Development, February 2000.

Adam, P. (1981a). Australian Saltmarshes, Wetlands (1) 1, 1981.

Adam, P. (1981b). Saltmarsh Plants of New South Wales, Wetlands (1) 1, 1981.

Adam, P., Wilson, N.C, Huntley, B. (1988). The Phytosociology of Coastal Saltmarsh Vegetation in New South Wales, Wetlands (7) 2, 1988.

Adams Hendry (2000). Dibden Terminal Environmental Statement. Report prepared for Associated British Ports, September 2000.

A G Environmental Engineers & Woodward-Clyde (1990). ICI Botany Environmental Survey: Stage 1 Preliminary Investigations.

ANZECC (1996). Draft Ocean Disposal Guidelines.

ANZECC/ARMCANZ (2000). Australian and New Zealand Guidelines for Fresh and Marine Waters Quality. Australian and New Zealand Environment and Conservation Council and the Agriculture and Resource Management Council of Australia and New Zealand. National Water Quality Management Strategy. October 2000.

ARTC (2001). Interstate Rail Network Audit: Final Report. Australian Rail Track Corporation Ltd, April 2001.

Australian Museum Business Services (1993). Australian Museum biological survey of Botany Bay. Phase 1 -*Final report*. Report prepared for Federal Airports Corporation.

Australian Museum Business Services (1998). A post-impact monitoring study of benthic fauna in areas dredged for the third parallel runway. Report prepared for Federal Airports Corporation, May 1998.

Baggerman Associates (2002). Concept Definition Study Dredging & Reclamation Work - Port Botany Expansion. Interim Working Draft. April 2002.

Bell, J. D. and Pollard, D. A. (1989). Ecology of fish assemblages and fisheries associated with seagrasses, Seagrass Ecosystems - An Australian Perspective.

Bell, J. D., Westoby, M. and Steffe, A. S. (1987). Fish larvae settling in seagrass: do they discriminate between beds of different leaf density? Journal of Experimental Marine Biology and Ecology 111, pp. 133-144.

Birch, G. F. (1996). Sediment-bound metallic contaminants in Sydney's Estuaries and adjacent offshore. Estuarine, Coastal and Shelf Science, 42, pp. 31-44.

Birch, G. F. (1996). Sediment-bound metallic contaminants in Sydney's Estuaries and adjacent offshore. Estuarine, Coastal and Shelf Science, 42, pp. 31-44.

BJ Services (2002). Review of Airservices Australia Report (Port Botany Expansion: Impact on Airservices Radar and Navigation Systems at Sydney Airport), August 2002.

Blong and Associates (1992). Earthquake Zonation, Sydney. Report prepared for NRMA Insurance Ltd, March 1992.

Botany Bay Local Emergency Management Committee (2000). Botany Bay Local Disaster Plan, Sydney.

Burchmore, J. J., Pollard, D. A., Bell, J. D., Middleton, M. J., Pease, B. C. and Matthews, J. (1985). An ecological comparison of artificial and natural rocky reef fish communities in Botany Bay, New South Wales,



Australia, Bulletin of Marine Science 37, pp. 70-85. Coffey Partners International Ltd (1999). Additional Port Facilities, Port Botany Vol. 1, Factual Data – Part A 21, June 1999.

City of Botany Bay Council (1997). Off-street Parking Development Control Plan.

City of Botany Bay Council (1997). Development Control Plan for Container Terminals and Similar Facilities Handling Containers.

City of Botany Bay Council (2000). State of the Environment Report 2000.

Coffey Partners International Ltd (1999). Additional Port Facilities, Port Botany Volume 2 - Geotechnical Interpretation, June 1999.

Colliers Jardine (2001). Sydney's South-Eastern Residential Market, The Knowledge (Property Market Overview) May 2001, NSW.

Colman, J. (2001). Turning the Tide – A draft discussion paper on management challenges and options for the Botany Bay Catchment. Report prepared for Southern Region Organisation of Councils (The Botany Bay Program), Sydney.

Colman, J. and Hopkins, M. (2001). The Tide is Turning: Towards an Environmental Strategy for Botany Bay. Report prepared for the Southern Sydney Regional Organisation of Councils by The Botany Bay Program, Mascot, NSW.

Connell Wagner (1997). Sydney Port Corporation, Additional Container Facilities, October 1997.

Connell Wagner and Booz-Allen Hamilton (1998). Port Botany Origin-Destination Study. Report prepared for Sydney Ports Corporation, Rail Access Corporation and NSW Roads and Traffic Authority, July 1998.

Connell Wagner and Booz-Allen Hamilton (2000). Metropolitan Landbridging Concept Study. Report prepared for Rail Access Corporation, August 2000.

Cropper. C. (1993). Management of Endangered Plants.

Dames & Moore Pty Ltd (1999). Draft EIS Port Botany Expansion Volume 2 Part A - "Proposed Expansion of Port Botany Assessment of Impacts Aquatic Ecology Water and Sediment Quality".

Department of Housing (1998). Managing Urban Stormwater- Soils and Construction Manual.

Department of Land and Water Conservation (1995). Botany Bay Acid Sulfate Soil Risk Map (1:25,000 scale).

Department of Land and Water Conservation (1995), Guidelines for the Use of Acid Sulfate Soil Risk Maps.

Department of Transport (1998). Action for Transport 2010: An Integrated Transport Plan for Sydney.

Department of Urban Affairs and Planning (1992). Botany Bay Regional Policy Guidelines.

Department of Urban Affairs and Planning (1996). Port Botany Land Use Safety Study, Overview Report.

Department of Urban Affairs and Planning (1998). Shaping Our Cities: The Planning Strategy for the Greater Metropolitan Region of Sydney, Newcastle, Central Coast and Wollongong.

Department of Urban Affairs and Planning (1998). City South Strategy.

Drewry Shipping Consultants (1998). World Container Terminals – Global Growth and Private Profit. London.

Drewry Shipping Consultants and Maunsell Australia (2002). Forecast Development of Container Ship Size in Main Australian Trades. London.





Environment Protection Authority (1994). Environmental Noise Control Manual (ENCM).

Environment Protection Authority (1998). *Action for Air: The NSW Government's 25-Year Air Quality Management Plan*.

Environment Protection Authority (2001). Approved Methods and Guidance for the Modelling and Assessment of Air Pollutants in NSW.

Environment Protection Authority (1999). Environmental Criteria for Road Traffic Noise (ECRTN).

Environment Protection Authority (2000). NSW Industrial Noise Policy (INP).

Environment Protection Authority 1999, Environment Protection Manual for Authorised Officers.

ESCAP/UNDP (2001). Regional Shipping and Port Development Strategies under a changing Maritime environment, United Nations Economic and Social Commission for Asia and the Pacific 2001.

Frankel, E. G. (1987). Port Planning and Development. John Wiley & Sons, Brisbane.

GHD Longmac Pty Ltd (2002). Botany Bay Reclamation - Preliminary Geotechnical Review. Final Draft.

Gibbs, P. (2001). *Monitoring of Natural recolonisation of seagrass and transplant success of Zostera capricorni at the Sydney Third Runway in Botany Bay*. Report for Sydney Airports Corporation Limited and Sydney Ports Corporation.

Greig Fester Australia Pty Ltd (1997). Earthquake PML, Household Buildings, Sydney II.

Harden, G.J. (1990-1993). Flora of NSW Vol 1-4.

Healthy Rivers Commission of New South Wales (2001). *Independent Inquiry into the Georges River-Botany Bay System: Final Report*.

IAPH (2001). International Association of Ports and Harbours Guidelines for Port Planning and Design.

Janssen L.H.J.M., van Wakeren J.H.A., van Duuren H and Elshout A.J. (1998). A Classification of NO Oxidation Rates in Power Plant Plumes Based on Atmospheric Conditions, *Atmospheric Environment* 22(1) pp 43-53.

Keough, M. J. and Jenkins, G. P. (1995). Seagrass meadows and their inhabitants, *Coastal Marine Ecology of Temperate Australia*. Underwood, A. J. and Chapman, M. G. (eds). University of New South Wales Press Ltd, Sydney. pp. 1-15.

King, R.J. (1981). Marine angiosperms, seagrasses, *Marine Botany: an Australasian Perspective*, pp 201-210. Clayton, M.N. and King, R.J. (eds). Longman Cheshire Pty Ltd. Melbourne, Australia.

Kingsford, M. J. and Suthers, I. M. (1994). Dynamic estuarine plumes and fronts: importance to small fish and plankton in coastal waters of N.S.W., Australia, *Continental Shelf Research* 14(6), pp 655-672.

Kinhill (1991). Proposed Third Runway Sydney (Kingsford Smith) Airport. Supplement to the Draft Environmental Impact Statement.

Knight Frank Research (2002). Southern Sydney Industrial Report, Sydney.

Kruiter, R. H. (1993). *The Complete Diver's & Fishermen's Guide to Coastal Fishes of Southeastern Australia*, Crawford House Press, Bathurst, USA, 437 pp.

Larkum, A.W.D. and West, R.J. (1990). Long-Term Changes of Seagrass Meadows in Botany Bay, Australia, *Aquatic Botany* 37, pp. 55-70.



Lawson and Treloar (1999). Long and Short Wave Recording, Botany Bay. Report to Sydney Ports Corporation

Lawson and Treloar (2002). Lawson and Treloar Pty. Ltd. Correspondence to Sydney Ports Re: *Dredged Plume Investigations*. 30th September, 2002.

Lincoln Smith, M. P. (1991). Environmental impact assessment: the roles of predicting and monitoring the extent of impacts. Australian Journal of Marine & Freshwater Research 42, pp. 603-614. Maritime Services Board Sydney Ports Authority, (1995). Sydney Ports into the 21st Century – Port Land Use Strategy for Botany Bay and Sydney Harbour.

Maritime Services Board Sydney Ports Authority (1995). Sydney Ports into the 21st Century. Port Land Use Strategy for Botany Bay and Sydney Harbour.

Maunsell McIntyre (2002). *Victorian Ports Strategic Study*. Report prepared for Department of Infrastructure/Department of Treasury & Finance.

McCue, K. F. (1978). Seismic risk in Eastern Australia, Department of Physics University of Adelaide.

Meehan, A. J. and West, R. J. (2002). Experimental transplanting of *Posidonia australis* seagrass in Port Hacking, Australia, to assess the feasibility of restoration. *Marine Pollution Bulletin* 44, pp. 25 31.

Melbourne Port Corporation (2001). Trade & Transport Review 2000 – 2001.

Melbourne Port Corporation (2002). Melbourne Port Corporation 2001 – 2002Annual Report.

Meyrick and Associates Pty Ltd (2002). Insights from ESCAP Research in Liner Shipping.

Middleton, J. H., Cox, D., and Tate, P. (1997). The oceanography of the Sydney region, *Marine Pollution Bulletin* 33, pp 124-131.

Mitchell, M. L. and Adam, P. (1989). The relationship between mangrove and saltmarsh communities in the Sydney region, *Wetlands* 8, pp. 37-46.

National Environment Protection Council (1998). National Environment Protection Measure for Ambient Air Quality.

Newcastle Port Corporation (2001). Annual Report 2001.

New South Wales Acid Sulphate Soil Management Advisory Committee (1998). ASS Manual.

New South Wales Department of Mineral Resources (1983). *Geological Survey of NSW, NSW Department of Mineral Resources. Sydney Geological Sheet 1:100,000. Sheet No. 9130 Ed. 1.*

New South Wales Fisheries (2001). Estuary General Environmental Impact Statement. Four Volumes.

New South Wales Scientific Committee (1998) Taren Point Shorebird Community Final Determination.

Pitblado, R. M. (1978). Estuarine modelling: the developments and validation of a two layer, real-time model for the Parramatta River estuary. Ph.D. thesis (unpub.), University of Sydney.

Pollard, D. A. (1984). A review of ecological studies on seagrass-fish communities, with particular reference to recent studies in Australia, *Aquatic Botany* 18, pp. 3-42.

Port Kembla Port Corporation (2002). Port Kembla Port Corporation Annual Report 2001-2002.

Port of Brisbane Corporation (2002). Port of Brisbane Corporation Annual Report 2001/2002.





Property Council of Australia (2002). Initiative for Sydney.

PPK (2002). Patrick Port Botany Container Terminal Upgrade EIS.

Rao, A. (1998). Bird strike is best countered by an effective wildlife control augmented by landuse management, *ICAO Journal* 53: 5-6, 25.

Roy, P. S. (1984). New South Wales estuaries: their origin and evolution, *Coastal Geomorphology in Australia* (ed. B. G. Thom), pp. 99-121. Academic Press.

Saintilan, N. (1997). Mangroves as Successional Stages on the Hawkesbury River, Wetlands (2) 16.

Saintilan, N. and Hashimoto, T. R. (1999). Mangrove-saltmarsh dynamics on a bay-head delta in the Hawkesbury River estuary, New South Wales, Australia, *Hydrobiologia* 413, pp. 95-102.

Saintilan, N. and Williams, R. J., (1999). Mangrove transgression into saltmarsh environments in south-east Australia, *Global Ecology and Biogeography Letters* 8, pp. 117-124.

Saintilan, N. and Williams, R. J. (2000). Short note: The decline of saltmarsh in southeast Australia: Results of recent surveys, *Wetlands* 18, pp. 49-54.

Simblist, S.H. (1976). *Botany Bay Port and Environment Inquiry*, Commissioners of Inquiry, NSW, November 1976.

Smith, A. K., Holliday, J. E. and Pollard, D. A., (1997). Management of seagrass habitats in NSW estuaries. *Wetlands* 16, pp. 48-55.

Smith, A. K. and Pollard, D. A. (1999). *Policy and Guidelines Aquatic Habitat Management and Fish Conservation: 1999 Update. Policy and Guidelines Aquatic Habitat Management and Fish Conservation , 1999 Update.* NSW Fisheries, Port Stephens Research Centre.

Snowy Mountains Engineering Corporation Ltd. (2001). *Port Botany- Acid Sulphate Soils Assessment*. Report prepared for Sydney Ports Corporation.

Specht R.L. (1981). Conservation of Vegetation Types, Australian Vegetation, RH Groves (ed).

Straw P (1996). Wader Populations Study of Botany Bay and Adjacent Wetlands. Final Report 1993-96. Royal Australasian Ornithologists Union.

Sydney Ports Corporation (1996). Port Botany Emergency Plan.

Sydney Ports Corporation (1998). Development Guidelines for Port Land at Port Botay.

Sydney Ports Corporation (2000a). Annual Report 1999/2000.

Sydney Ports Corporation (2000b). Dangerous Goods Procedure.

Sydney Ports Corporation (2000c). *Metropolitan Sydney International Container Origin/Destination Analysis, August 2000.*

Sydney Ports Corporation (2001a), Annual Report 2000/2001.

Sydney Ports Corporation (2001b), *First Port...Future Port – Meeting the needs of container growth in Sydney to 2025.*

Sydney Ports Corporation (2002). Annual Report 2001/2002.



Taylor, S.E. (2000). The source and remobilisation of contaminated sediment in Port Jackson, Australia. Unpub. PhD thesis, University of Sydney.

The Ecology Lab Pty Ltd (2001). *Mill Stream Maintenance Dredging: Review of Environmental Factors. Prepared for: Sydney Airport Corporation Limited.*

The Ecology Lab Pty Ltd. (1995). A Quantitative Study of the Impact of Construction of a Third Runway at Mascot on Seagrasses in Botany Bay: Comparison of Posidonia at Towra Point Before and During Construction, Final Report. Report prepared for Federal Airports Corporation.

UNCTAD, (1978). *Port Development: A handbook for planners in developing countries*. Second Edition. United Nations.

UNCTAD (2000). Review of Maritime Transport, 2000. Media Release 8 December 2000.

US Department of Environmental Management (1996). *Toxicological Benchmarks for Wildlife*. Prepared by the Risk Assessment Program Health Sciences Research Division Oak Ridge for the US Department of Energy Office of Environmental Management.

URS Australia Pty Ltd. (2000). Development of a Multi Purpose Terminal and Remediation of the Closure Area, BHP Steelworks – Environmental Impact Statement.

Wolanski, E. (1977). The fate of storm water and stormwater pollution in the Parramatta Estuary, Sydney, *Australian Journal of Marine and Freshwater Research* 28, pp 67-75.

Welsh Office of the UK Department of Transport (1988). Calculation of Road Traffic Noise (CORTN).

West, R. J., Thorogood, C. A., Walford, T. R. and Williams, R. J. (1985). *An estuarine inventory for New South Wales, Australia*. Division of Fisheries, NSW Department of Agriculture, Sydney, Australia.

Woodward-Clyde Pty Ltd. (1992). Penrhyn Road Boat Launching Ramp: Botany Bay Sediment Contamination Investigation.

Woodward-Clyde Pty Ltd. (1996). ICI Botany Groundwater Stage 2 Survey.

Williams, R. J. and Watford, F. A. (1997). Change in the distribution of mangrove and saltmarsh in Berowra and Marramarra Creeks, 1941-1992. Prepared for: NSW Fisheries Research Institute, Cronulla, NSW.

Zieman, J.C. and Wetzel, R.G. (1980). Productivity in seagrasses: methods and rates, *A handbook of seagrass biology: An ecosystem perspective*. Philips, R.C. and McRoy, C.P. (eds). Garland, New York.



